





ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com



NatureScape

3" Thermally Broken

2" Non-thermal



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape

REASONS TO CONSIDER PREFABRICATED:

- Pre-designed, pre-engineered and pre-inspected, the NatureScape enclosure guarantees that the room will be delivered and installed as specified.
- Manufactured by Elite Aluminum Corp., the enclosure industry leader for over 20 years
- NatureScape enclosures are manufactured in Elite's factory with precision machinery and fixtures under rigid quality standards which ensures cost effectiveness and consistent quality construction.
- NatureScape prefabricated enclosures are quickly installed, reducing the cost of labor, on-site disruption and inconvenience during the construction period.
- NatureScape enclosures offer the industry's strongest warranties on both materials and workmanship.

NatureScape FEATURES:

- Insulated load bearing walls made of maintenance free aluminum.
- A variety of facings and color options are available.
- Solid doors designed for the NatureScape enclosure and available in 10 designer styles.
- Horizontal sliding windows with full screens and a double drainage feature. Both window vents are operable and removable.
- Standard vents featuring the Elite On-Guard locking system to prevent outside intrusion.

STRUCTURALLY STRONG

ELITE panels have complete structural integrity in themselves. The panels join together to form wall and roof with complete structural integrity. The Elite NatureScape system has proven itself for over twenty years in both residential and commercial applications throughout the world.

A WIDE RANGE OF BUILDINGS AND COMPONENTS IN STANDARD OR SPECIAL DESIGNS.

All modular components, for building construction, are factory produced by Elite. These components are pre-engineered, pre-cut, tested and labeled for ease of installation. Choose from a wide variety of standard designs and sizes, or create a custom environment to fit a specific need. You'll be amazed at the short time it takes for your Elite NatureScape contractor to construct your room, with almost no disruption of your life and no construction mess.

CODE APPROVALS AND SPECIFICATIONS

Elite's NatureScape enclosures meet or exceed every national building code standard. Elite roof panels have a class B rating and hold a UL 17-15 classification for roof and ceiling structures. Wall panels (3") have an R value (insulation) of 18 + which far exceeds conventional construction and assures you of economical year round comfort in any climate, and reduced heating/cooling costs.

EXPANDABLE TO MEET FUTURE NEEDS


ELITE structures can be easily expanded or modified after construction. They are designed and built for present needs with assurance that at a later date additional space or facilities can be added as required, even adding a second story. If need be, the entire building can quickly and easily be disassembled and relocated.




ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape




EXAMPLE CENTER WALL SECTION
 $4\frac{1}{2}'' + 50\frac{1}{2}'' + 50\frac{1}{2}'' + 50\frac{1}{2}'' + 50\frac{1}{2}'' + 4\frac{1}{2}'' = 210\frac{1}{2}''$



TOTAL COVERAGE = 145



TOTAL COVERAGE = 210 1/2"




TOTAL COVERAGE = 145"

THE ABOVE DIAGRAM INDICATES TOTAL COVERAGE DIMENSIONS FOR ALL
EXTRUDED VERTICAL SHAPES ADDED WITH ALL DAYLIGHT OPENING DIMENSIONS.

COVERAGE NOTES

UB • DLO • 24"
DA • DLO • 24"
EXD8 • DLO • 48"
CP • 42"
BC • 1/2"



3" NatureScape Wall

LEGEND:







UB • WALL SECTION
BC • BASE CHANNEL
TC • TOP CAP
SC • SECTION CONNECTOR
CP • CORNER POST
DA • DOOR SECTION
EXD8 • ELITE 3000 SERIES DOOR SECTION
DLO • DAY LIGHT OPENING



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 3"







ITEM	USE/DESCRIPTION	SPEC
	CABANA BASE SKU# - 60601-1 Designed to anchor wall panels and extruded vertical members to the foundation. Can also be used as a top cap.	Length: 24 Ft. Color: Almond-Bronze White
	BASE CHANNEL WITH WEEP SKU# - 60601-47 Designed to anchor wall panels and extruded vertical members to the foundation and diverts any moisture intrusion to weep out, before it can enter occupied structure.	Length: 24 Ft. Color: Almond-Bronze White
	COLUMN/STARTER CHANNEL (FEMALE) SKU# - 60601-61 Designed as a vertical support as well as to join wall sections together. Also used as a starting channel on host structure.	Length: 24 Ft. Color: Almond-Bronze White
	COLUMN/STARTER CHANNEL (MALE) SKU# - 60601-145 Designed as a vertical support as well as to join wall sections together. Mates with column channel #60601-61	Length: 24 Ft. Color: Almond White
	PANEL ADAPTER SKU# - 60601-62 Designed to adapt insulated panel to male and female connector at kneewall and transom locations.	Length: 24 Ft. Color: Almond-Bronze White
	CHANNEL WITH CHASE & SNAP SKU# - 60601-100/99 Designed, as a 2 piece system that provides an accessible chase to wire for electrics. This channel simplifies installation under an existing roof and can be used as a base or top cap for the wall system. (UL Listed)	Length: 24 Ft. Color: Almond-Bronze White



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 3"






ITEM	USE/DESCRIPTION	SPEC
	SELF MATING COLUMN CHANNEL SKU# - 60601-112 Designed as vertical support and to join wall sections together. May also be used as a raceway for electric and will accommodate outlet and switch boxes. (UL Listed)	Length: 24 Ft. Color: Almond-Bronze White
	"H" BEAM SKU# - 60601-3 Designed to provide vertical support on both sides of windows and doors. Also used as a connection between solid wall panels.	Length: 25 Ft. Color: Almond-Bronze White
	RIDGE BEAM, FIXED - 3" SKU# - 60601-38 Designed as a column or corner at a junction where a 72 degree is required, such as a bay wall.	Length: 24 Ft. Color: Almond White
	3/12 TOP CAP SKU# - 60601-6 Designed to cap the wall system and to connect the roof at a 3/12 slope to the wall.	Length: 24 Ft. Color: Almond-Bronze White
	TOP CAP, FLAT SKU# - 60601-5 Designed to cap the wall system and to connect the roof to the wall.	Length: 24 Ft. Color: Almond-Bronze White
	ADJUSTABLE TOP CAP (2 PCS) SKU# - 60601-141 Designed to cap the eave walls of a gable room to adjust to various slopes. Adjusts flat to 30 degree maximum.	Length: 24 Ft. Color: Almond White



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 3"







ITEM	USE/DESCRIPTION	SPEC
	CORNER POST SKU# - 60601-7/8/9 Designed to connect fill or wall panels at 90 degree corners and provide vertical structural support.	Length: 60601-7 8 Ft. 60601-9 25 Ft. Color: Almond-Bronze White
	CORNER POST 45 DEGREES SKU# - 60601-109 Designed to connect fill panel or wall sections at a 45 degrees corner. Also provides vertical structural support.	Length: 24 Ft. Color: Almond White
	CORNER POST 22.5 DEGREES SKU# - 60601-108 Designed to connect fill panel or wall sections at a 22.5 degrees corner. Also provides vertical structural support.	Length: 24 Ft. Color: Almond White
	COLUMN INSERT SKU# - 60601-106 Use as a column connector between wall sections to achieve greater wall height. Adds structural support for installation of doors.	Length: 24 Ft. Color: Mill Finish
	S.G.D. FRAMING TUBE SKU# - 60601-123 Used to add structural support for the installation of a sliding glass door.	Length: 24 Ft. Color: Almond White



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 3"


ITEM	USE/DESCRIPTION	SPEC
	WALL CAP / RECEIVER SKU# - 60601-110 Designed to cap wall system and connect roof to walls or as starter channel at host structure.	Length: 24 Ft. Color: Almond Bronze White
	UNIVERSAL DOOR ADAPTER SKU# - 26024 Designed to replace DRC, and to finish H-Beam on both sides of door when using the Elite 3000 door series.	Length: 24 Ft. Color: Almond Bronze White
	UNIVERSAL GLASS ADAPTER SKU# - 26023 Designed to receive glazing clips for fixed glass applications. For use with single glazed or insulated glass in transom or kneewall areas.	Length: 24 Ft. Color: Almond Bronze White
	SQUARE GLAZING CLIP FOR 1/4" OR 3/16" SKU# - 26037 Designed for use with universal glass adapter for fixed glass applications.	Length: 24 Ft. Color: Almond Bronze White
	SQUARE GLAZING CLIP FOR 1/2" OR 5/8" SKU# - 26039 Designed for use with universal glass adapter for fixed glass applications.	Length: 24 Ft. Color: Almond Bronze White
	ROUNDED WEATHER SEAL BULB VINYL SKU# - 23001 Designed as a weather seal for glazing clips.	Length: 500 Ft. Color: Almond Bronze White



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 3"


ITEM	USE/DESCRIPTION	SPEC
 A B* *FOR USE WHEN CODE REQUIRES 1/2 INCH GYPSUM BOARD OR EQUAL	WALL PANEL SKU# - 60201-2 Used in kneewall and transom areas of wall sections. Used for vertical fill where needed. Width and height are custom fabricated on site.	Facing Options: Aluminum Durashield Interior Paneling Color: Refer to color samples



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape



EXAMPLE CENTER WALL SECTION
2" x 50" x 50" x 50" x 50" x 3" - 206"



TOTAL COVERAGE = 142"



TOTAL COVERAGE = 206"

THE ABOVE DIAGRAM INDICATES TOTAL COVERAGE DIMENSIONS FOR ALL EXTRUDED VERTICAL SHAPES ADDED WITH ALL DAYLIGHT OPENING DIMENSIONS




TOTAL COVERAGE = 142"

COVERAGE NOTES

WS = DLO + 2"
BS = DLO + 2"
CS = 3"
CP = 1"

LEGEND:

WS = WALL SECTION
BS = BASE PANEL
CS = CORNER SECTION
CP = CORNER POST
DS = DOOR SECTION
DLO = DAY LIGHT OPENING









2" NatureScape Wall



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 2"







ITEM	USE/DESCRIPTION	SPEC
	CABANA BASE SKU# - 60601-14 Designed to anchor wall panels and extruded vertical members to the foundation. Can also be used as a top cap.	Length: 24 Ft. Color: Almond-Bronze White
	BASE CHANNEL WITH FLASH SKU# - 60601-124 Designed to anchor wall panels and extruded vertical members to the foundation.	Length: 24 Ft. Color: Almond-Bronze White
	BASE CHANNEL, SLOPED SKU# - 60601-13 Designed to anchor wall panels and extruded vertical members to the foundation and diverts any moisture intrusion to weep out, before it can enter occupied space.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	CHANNEL WITH SPLINE GROOVE SKU# - 60601-22 For screen use only. Designed for screening all day light openings. Used as a vertical support as well as for joining wall sections together.	Length: 24 Ft. Color: Almond White
	COLUMN / STARTER CHANNEL (FEMALE) SKU# - 60601-53 Designed as vertical support and to host structure. Also used to join wall sections together.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	COLUMN / STARTER CHANNEL (MALE) SKU# - 60601-146 Designed as vertical support and to host structure. Also used to join wall sections together. Mates with column / starter channel #6060153	Length: 24 Ft. Color: Almond-Bronze White-Clay



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 2"






ITEM	USE/DESCRIPTION	SPEC
	PANEL ADAPTER SKU# - 60601-54 Designed to adapt insulated panel to column channels at kneewall and transom locations.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	"H" BEAM SKU# - 60601-17 Designed as a vertical support on both sides of windows and doors. Also used as a connection between solid wall panels.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	SELF MATING COLUMN CHANNEL SKU# - 60601-111 Designed as a vertical support and to join wall sections together. May also be used as a raceway for electric and will accomodate outlet and switch boxes. (UL Listed)	Length: 24 Ft. Color: Almond-Bronze White-Clay
	TOP CAP, FLAT SKU# - 60601-15 Designed to cap the wall system and to connect the roof to the wall.	Length: 24 Ft. Color: Almond-Bronze White
	3/12 TOP CAP SKU# - 60601-51 Designed to cap the wall system and to connect the roof at a 3/12" sloope to the wall.	Length: 24 Ft. Color: Almond-Bronze White
	ADJUSTABLE TOP CAP (2 PC) SKU# - 60601-142 Designed to cap the eave walls of a gable room to adjust to various slopes. Flat to a 30 degree maximum.	Length: 24 Ft. Color: Almond-Bronze White-Clay



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 2"





ITEM	USE/DESCRIPTION	SPEC
	F-CHANNEL WALL CAP SKU# - 60601-125 Designed to cap wall system and connect roof to walls or as a starter channel at host structure.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	CORNER POST SKU# - 60601-19/20/21 Designed for vertical support and to connect fill panels or wall sections at 90 degree corners.	Length: 60601-19 8 Ft. 60601-21 24 Ft. Color: Almond-Bronze White-Clay
	CORNER POST 45 DEGREE SKU# - 60601-121 Designed to connect fill panel or wall sections at a 45 degree corner. Also provides vertical structural support.	Length: 24 Ft. Color: Almond White
	CORNER POST 22.5 DEGREE SKU# - 60601-122 Designed to connect fill panel or wall sections at a 22.5 degree corner. Also provides vertical structural support.	Length: 24 Ft. Color: Almond White
	INFILL CHANNEL (2 PCS) SKU# - 60601-143 Designed to be used as a starter channel to install wall sections and infill panels in a trapped area.	Length: 24 Ft. Color: Almond-Bronze White-Clay



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape 2"

ITEM	USE/DESCRIPTION	SPEC
	RECEIVING CHANNEL SKU# - 60601-16 Designed to use as starter channel on the host structure.	Length: 24 Ft. Color: Almond-Bronze White-Clay
	SELF MATING H-BEAM BEAM SKU# - 60601-76 May be used to conceal outlet and switch boxes when wiring for electric. Also provides vertical support on both sides of windows and doors.	Length: 24 Ft. Color: Almond White Clay
	COLUMN INSERT SKU# - 60601-107 Use as a column connector between wall sections to achieve greater wall heights or as structural support for the installation of doors.	Length: 24 Ft. Color: Mill Finish
	WALL PANEL SKU# - 60201-2 Used in kneewall and transom areas of wall sections. Used for vertical fill where needed. Width and height are custom fabricated on site.	Facing Options: Aluminum Durashield Interior Paneling Color: Refer to color samples



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com

NatureScape

Installing the NatureScape Room System

Begin by measuring the floor layout. Use these measurements to install the base channel to the foundation. Mitre the base at the corners and leave a 36" opening at the door.

Apply a generous bead of polyurethane sealant to the underside and fasten 12" on center, staggering the bolts. Weep holes can be drilled on the outside of this channel, approximately 18" on center, to allow any potential water to escape.

The starter channel secures the structure to the house. Cut the starter to the desired height and apply polyurethane to the backside. Place starter inside the base channel and fasten by staggering bolts 12" on center.

Before installing NatureScape Wall sections, check base and starter channel to make sure they are level (You may have to cut the bottom of the wall section to accommodate a sloping foundation). Once level, cut top of section to the desired height and slope of roof. Place section inside the base and starter and fasten the screws to the outside flange of the starter into the section (use 1 ½" panelized column connectors if starting with a window section). After first section is in place, continue on using window sections or solid panel to finish sidewall.

Place the corner post inside the base channel to finish the sidewall. Using wall sections, either window or solid panel, cut the desired height for the front wall and put sections into place.

Now that two walls are done, start the third wall at the house, putting the corner post on last.

The top cap finishes the top of the wall and locks the wall sections into place. Measure the slope of the wall and mitre cut at the corner for both sidewalls. Measure outside of front wall and mitre cut top cap on both sides. Place top caps over all channels including the corner post. Fasten 12" on center into base channel and top cap to secure everything in place.

Now you are ready to install the roof.



Insulated Roof Systems

Elite Aluminum Corp. is the world's leading manufacturer of pre-finished insulated panels for sun rooms, glass rooms, screen rooms, canopies, walkways and other types of covers for residential and commercial applications. Elite's patented interlocking designs are attractive, structurally sound and engineered to withstand the most extreme weather conditions. What's more, Elite panels are affordable, easily installed and guaranteed to last.

Our panels use a high-density polystyrene core designed to our specifications for superior strength and exceptional thermal insulation. We laminate using a variety of materials, including aluminum, steel, plywood or strand board. Elite roof panels are structurally designed to allow the application of shingles, tile, architectural metal or other aesthetic covering. Decorative aluminum trim caps the ends for an eye-pleasing finish.



Value for your home.

Enjoyment for your family.

Elite panels are manufactured by skilled craftsmen in a quality controlled environment using only top-grade materials and state-of-the-art equipment to meet the highest standards of workmanship in the industry. Our insulated roof systems carry a full 10-year warranty against cracking, crazing, chipping, peeling, blistering or delaminating.

Installing an Elite system will enhance the value of your home as well as your lifestyle. Imagine relaxing or entertaining outdoors without worrying about the rain or the sun – or the disruption and damage they can cause. Our roof systems are adaptable to new or existing homes and can be designed to complement your current roof design, providing years of beauty and enjoyment. So go ahead, choose an Elite roof panel system and enjoy more of the great outdoors!



Elite Aluminum Corporation • 4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • (fax) 954.949.3201 • www.elitealuminum.com • info@elitealuminum.com



ELITE ALUMINUM CORPORATION

4650 Lyons Technology Parkway • Coconut Creek, FL 33073
954.949.3200 • fax 954.949.3201 www.elitealuminum.com • info@elitealuminum.com



Aerial View of Elite's 200,000+ Sq. Ft. facility
Inaugurated January 2004

ELITE ALUMINUM CORPORATION

4650 LYONS TECHNOLOGY PARKWAY
COCONUT CREEK, FL. 33073

TEL: (954) 949-3200

FAX: (954) 9493201

FL WATS: (800) 421-0682

US WATS: (800) 535-4837

EAMIL: info@elitealuminum.com